

# KAZ V425 Owner's Manual

# **Shop genuine replacement parts for KAZ V425**



Find Your KAZ Humidifier Parts - Select From 32 Models

----- Manual continues below -----

# **Important Safety Instructions**

### READ ALL INSTRUCTIONS BEFORE USING HUMIDIFIER, ESPECIALLY THESE BASIC SAFETY PRECAUTIONS.

- Always place humidifier on a firm, flat, level surface, at least FIVE inches away from walls and heat sources such as stoves, radiators or heaters. Humidifier may not work properly on a nonlevel surface.
- Place humidifier in an area that is out of the reach of children.
- 3. Before using the humidifier, extend the cord and inspect for any signs of damage. Do not use the product if cord has been damaged.
- 🔝 Humidifier should always be unplugged and emptied when not in operation or while being cleaned.
- 5. Never tilt or move the humidifier while it is in operation. Shut off and unplug before moving.
- 6. Humidifier requires regular cleaning. Read and follow Care and Cleaning instructions.
- 7. In certain areas, tap water is extremely hard, containing a higher-than-normal concentration of various minerals. These minerals can be emitted into the air, possibly causing adverse reactions in people with breathing difficulties. In such cases, use only distilled or demineralized water and clean the humidifier every day. (See Care and Cleaning instructions).
- \$ If you have breathing difficulties, consult your physician before using any humidification product.
- In hard-water areas a white dust may form on furniture. This can easily be wiped away with a cloth. To avoid the white dust, use distilled water.
- As a condition of sale, the purchaser assumes responsibility for the proper care and use of this appliance in accordance with our printed instructions. The purchaser or user must judge for himself or herself when to use it and length of use.

# **Troubleshooting**

### IF THE UNIT DOES NOT OPERATE:

- · Check that polarized plug is fully inserted into wall outlet.
- Check airflow. Are there any obstructions preventing airflow?
- The motor contains a temperature-limiting fuse. If the motor overheats, the fuse will trip and shut off the motor. Unplug the unit and contact our Consumer Service Department. Do not attempt to repair the motor yourself.

### IF YOU DO NOT OBTAIN ENOUGH HUMIDITY:

- Because of break-in characteristics, maximum output will not be reached until the unit has been used several times. If the air in the room is extremely dry, there will be greater absorption of the vapor and faster depletion of the water reservoir. As the humidity increases, output will decrease and adding of water will be required less frequently. This variation is normal.
- Under certain conditions the moisture output may not be visible. It is operating properly, however, if the water level goes down during usage, even when you cannot see the vapor.
- The DynaFilter cartridge may be clogged with pollutants and should be replaced.

### IF YOU ARE OBTAINING TOO MUCH HUMIDITY AND WATER FALLS OUT AROUND THE UNIT:

- Room air may be excessively humid (greater than 50% relative humidity); do not use humidifier.
  Oversaturated air can cause condensation on cold walls or furniture. For proper humidity readings, use a hygrometer available in most hardware and department stores.
- The humidifier may need cleaning. Follow Care and Cleaning instructions.
- Medication or other additives may have been added to the water. Follow Care and Cleaning Instructions.

# **Limited Warranty**

Models 4100, 4200 and 4220 are warranted a or workmanship for 2 years from the date of part will be repaired or replaced at no charge tampered with and appliance has been used a directions. This Warranty gives you specific le other rights which vary from state to state.

If you experience unsatisfactory operation, first bleshooting section above to ensure that it is cleaning. Follow Care and Cleaning instruction

If you have any questions or comments, call the Department at (800) 827-6712 or, write to Kaz Dept., One Vapor Trail, Hudson, NY 12534, exproduct is operating. Specify model number. Representative will advise you how to correct or will ask you to return the product for repair

# **Order Information**

To order replacement parts or DynaFilter K14 of simple instructions:

### CREDIT CARD PAYMENT

We accept Visa® and MasterCard®.

#### TO ORDER BY PHONE

Call toll-free by dialing 1-800-827-6712. Please handy for payment. Minimum credit card orde

#### TO ORDER BY MAIL

Mail your order to Kaz Consumer Service Dep. Hudson, NY 12534. Please clearly print your n products ordered, and price extension. Enclos payable to Kaz, Incorporated (no cash, please) check will be held 10 days for bank clearance.

#### TO ORDER BY FAX

Fax your order to Kaz Consumer Service Depa 2015. Please clearly print your name, mailing a ordered, and price extension. Specify either Vi card number and expiration date, then *sign yo* credit card order is \$10.00.

### TO ORDER VIA THE INTERNET


E-Mail us at consumerservice@kaz.com. Be sure mailing address, products ordered, and price ext Visa® or MasterCard®, card number and expiratio card order is \$10.00.

- ▶ DynaFilter K14-3 pack of 3 DynaFilters
- ➤ Output Grille for Model 4200 or Model 422 Add \$4.00 per order for postage and handling. I please add applicable sales tax.

Note: Prices are subject to change without noti



## **How Your Humidifier Works**




The Kaz HealthMist\* 4100, 4200 and 4220 models produce a cool mist through revolutionary new cyclone technology. The motor-driven impeller draws up water through a pickup tube. Centrifugal force throws the water through a screen into the vortex chamber, breaking up the water into a superfine, cool mist.

Each of these cool mist humidifiers restores healthy humidity levels to dry indoor air more efficiently than other impeller-type humidifiers.

# THE AIR-CLEANING DynaFilter®

Kaz cool mist humidifiers include the exclusive Kaz DynaFilter K14. The DynaFilter removes dust, pollen, odors and tobacco smoke from the air,







Under normal environmental conditions, the filter cartridge should be replaced every two months. Replacement time will vary depending upon the concentration of pollutants in the air. If you notice heavy dirt accumulation on the filter or if the humidifier output is significantly reduced, **it's time to change to a new DynaFilter!** 

Kaz DynaFilter K14 cartridges are available at leading pharmacies and drug departments. You may also order directly from Kaz (see *Order Information* on back page).

## **Read and Save Thes**

 CAUTION: UNRAVEL CORD BEFORE USE. Failu hazard.

Always disconnect cord at wall plug before in use

- INSERT DYNAFILTER CARTRIDGE. Simply rem cartridge into the recess of the Top Housi Inspect used DynaFilters. If you notice he
- PLACE HUMIDIFIER IN A SAFE POSITION on a Protect rug, floor or furniture by placing u tection against inadvertent spillage. Do n air openings.

Cord should be out-of-the-way, where it ca When used therapeutically, the humidifier of the reach of children.

 FILL CAREFULLY. The exclusive Kaz FillChanne Housing.

Model 4100: Pour cool tap water into Fill Indicator on the front of bowl.

Models 4200 and 4220: Look down into to on lower step. Using a pitcher, add cool to

**IMPORTANT:** DO NOT OVERFILL, as this floors or furniture.

PLUG IN HUMIDIFIER. Be sure that switch is Plug power cord into wall.

### CAUTION: DO NOT PLUG IN THE CORD WITH

This product has a polarized plug (one blad will fit into a polarized outlet only one way, the plug. If it still does not fit, contact a quafeature.

- FOR MODEL 4200: Turn switch to the On (I) p FOR MODEL 4220: Turn switch to either of t CAUTION: Turn off the humidifier if moistu be excessively humid.
- DIRECTING MIST (Models 4200 and 4220 only) from settling on tables or other pieces of IMPORTANT: To maintain proper operation instructions.

# **Care and Cleaning**

Tap water may contain pollutants and minera humidifier. Such scale can accelerate the groic cleaning is performed as outlined below. No a heavy build-up of scale.

### **INSPECT THE DYNAFILTER**

Remove and inspect the DynaFilter cartridge mulation, the filter needs to be replaced. If fil will clog the filter, impair air flow, reduce the