

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



BROAN 332H Owner's Manual

[Shop genuine replacement parts for BROAN 332H](#)



[Find Your BROAN HVAC Parts - Select From 1309 Models](#)

----- Manual continues below -----

BLOWER / ROUGH-IN KITS AND DUCTING ACCESSORIES

For use with Broan Elite RM60000 Series Range Hoods

Provides high ventilation and durable construction to meet the needs of professional-quality home cooktops.

FEATURES

BLOWERS:

Model RM325H *

600 cfm, 120 VAC, 3.3 Amps
Interior-mounted, single-wheel design - attaches to rough-in plate
Includes Rough-in Kit.
Uses 7" round duct (purchase separately)

Model RM326H *

1200 cfm, 120 VAC, 5.0 Amps
Interior-mounted, dual-wheel design - attaches to rough-in plate
Includes Rough-in Kit.
Requires 4½ x 18½ to 10" round transition and 10" round duct (purchase separately)

Model 331H / 332H / 335 / 336

600 / 900 / 1200 / 1500 cfm
120 VAC, 2.3 / 5.8 / 3.0 / 4.3 Amps
Exterior-mounted, all aluminum construction
Use with 10" round duct (purchase separately)
Requires Model 332KR Rough-In Kit (purchase separately)


SPECIFICATIONS

MODEL	VOLTS	HZ	AMPS	CFM	DUCT
RM325H	120	60	3.3	600	7" Rd.
RM326H	120	60	5.0	1200	4½" x 18"
331H	120	60	2.3	600	10" Rd.
332H	120	60	5.8	900	10" Rd.
335	120	60	3.0	1200	10" Rd.
336	120	60	4.3	1500	10" Rd.




HVI-2100 CERTIFIED RATINGS comply with new testing technologies and procedures prescribed by the Home Ventilating Institute, for off-the-shelf products, as they are available to consumers. Product performance is rated at 0.1 in. static pressure, based on tests conducted in AMCA's state-of-the-art test laboratory. Sones are a measure of humanly-perceived loudness, based on laboratory measurements.


Broan-NuTone LLC, 926 West State Street, Hartford, WI 53027 (1-800-637-1453)
NuTone, Inc., 4820 Red Bank Road, Cincinnati, OH 45227 (1-800-543-8687)
Broan-NuTone Canada, Inc., 1140 Tristar Drive, Mississauga, Ontario L5T 1H9 (1-888-882-7626)




Model RM325H Blower / Rough-in Kit



Model RM326H Blower / Rough-in Kit




Model 427 4½ x 18½ to 10" Rd. Vertical Transition



Model 423 4½ x 18½ to 10" Rd. Vertical Transition




Model 418 10" Round 90° Elbow




Model 424 4½ x 18½ to 10" Rd. Front/Rear Transition

Models 331H & 332H Exterior Blowers




Models 335 & 336 Exterior Blowers




* Model 336 dimensions

Model 332KR Exterior Blower Rough-in Kit



Model 453 4½ x 18½ to 10" Rd. Left Transition (shown)




Model 454 4½ x 18½ to 10" Rd. Right Transition (not shown)


REFERENCE	QTY.	REMARKS	Project
			Location
			Architect
			Engineer
			Contractor
			Submitted By
			Date

PERFORMANCE RATINGS


**MODEL RM325H
BLOWER**




**MODEL 331H
EXTERIOR BLOWER**




**MODEL 335
EXTERIOR BLOWER**




**MODEL RM326H
BLOWER**



**MODEL 332H
EXTERIOR BLOWER**



**MODEL 336
EXTERIOR BLOWER**



* INSTALLATION NOTE

The Models RM325H & RM326H Blowers may be compatible with "older" 60000 Series Rangemaster® Hoods. Refer to specific hood installation instructions for details.