

ESSICK E35 000Owner's Manual

Shop genuine replacement parts for ESSICK E35 000



Find Your ESSICK Humidifier Parts - Select From 54 Models

----- Manual continues below ------



ESSICK AIR PRODUCTS



2010 Humidifier Catalog

Why Humidify?

During winter, indoor air is dryer than at other times of the year. Furnaces may warm the air, but as the heated air expands, the limited moisture is spread even more thinly, causing the air to suck the moisture out of everything it comes in contact with: walls, furniture, plants, pets and even your skin.

In the summer we are used to hearing about the "heat index" as a means of taking the humidity level into accout on a hot day. In the winter, the converse is true: the arid nature of heated indoor air makes it seem cooler than otherwise because the dry air rapidy evaporates body moisture.

That's where humidifiers come in.

Since humidifiers increase the moisture level in the air, the "heat index" in your home is raised, allowing you to comfortably reduce the thermostat setting.

And that leads to savings.

In addition to reducing energy bills, extra moisture in the home has many benefits: lessening cold symptoms, diminishing static electricity and replenishing lost moisture into all those things that need it: plants, furniture, pets, and especially you and your family.

What is the Best Type of Humidifier?

Because all humidifiers use water, any minerals or contaminants in the water must be taken into account. Most types of humidifiers end up releasing these impurities into the air, causing white dust residue.

Evaporative humidifiers with replaceable wicks provide the cleanest, most effective means of replenishing moisture in your home's air. As evaporation occurs inside the unit, the mineral residue from the water remains on the paper surface of the wick, which is removed and discarded with the wick.

As an additional benefit, several of our humidifiers have optional air filters to further enhance the air quality and comfort of your home. From our convenient tabletop units, our extensive array of whole-house evaporative humidifiers, and our high quality air filters and humidifier wicks, we at Essick Air Products take great pride in offering a variety of superior products that enhance your health and improve your home environment.

Essick Air humidifiers
come with a two-year warranty
on motors and a one-year
warranty on all other components,
except wicks



ESSICK'S NEWEST HUMIDIFIER

EP9 500 PEDESTAL

Our newest humidifier performs double duty, adding healthy moisture and elegance to your home at the same time.

Boasting 9 gallons of output per day, this humidifier's rich mahogany tone and decorative tile inset create a stylish pedestal for plant, vase or figurine. Tile can be replaced with any standard 12"x 12" tile to fit your decor.

Pour-in fill and casters allow easy filling without the hassle of removing the items on top.

- · Humdifies 2000 sq. ft.
- o 9 Gallon output per day
- ♦ Digital Control
- · Variable Speed Motor
- Auto Humidistat
- AutoShut-off
- O Reservoir holds 3.5 gallons
- · Four caster wheels
- Front Pour-in opening for easy filling
- Interchangeable top tile
- Uses 1043 Wick
- Measures 22"L x 22"D x 29"H



Easy Pour-in Fill



Uses Replaceable 1043 Superwick®



WHOLE-HOUSE CREDENZA STYLE HUMIDIFIERS

Whole-house humidification is provided in the clean, classic lines of this wood grain styled credenza.

Holding over 5 gallons, this handsome unit boasts 12 gallons output per day,

effectively humidifying up to 2,500 square feet.



- Automatic humidistat allows you to set a target humidity, and the unit will maintain the selected humidity
- Variable speed motor with quiet nighttime setting
- ♦ Separate left and right refill bottle indicators
- Automatic shutoff

- ♦ Easy-fill dual water bottles w/refill hose
- ♦ 5.2 Gallon Total Water Capacity
- ♦ Uses patented Super Wick #1041
- ♦ Accomodates 2-Stage AirCare® Filter (standard on 697-500; optional on 696-400)
- Measures 28¹/4"L x 14¹/2"D x 23"H

WHOLE-HOUSE CONSOLE HUMIDIFIERS 400 SERIES

This console style humidifier provides maximum humidification for the whole house in a contemporary cabinet. The 4D7 series is capable of servicing a 2700 sq. ft. house with an output of 13 gallons per day. The 427 unit humidifies 2100 sq. ft. and delivers 10 gallons per day.

4D7 800 White UPC 043129-12106-5 4D7 300 Light Oak Replaceable UPC 043129-25547-0 SuperWick # 1041 High output, long-lasting Automatic humidistat allows you to set a target humidity, and the unit will maintain the selected humidity · Variable speed motor with quiet nighttime setting Separate left and right refill bottle indicators Easy-fill dual Automatic shutoff water bottles Easy-fill dual water bottles w/refill hose with refill hose ◊ 5.5 Gallon Total Water Capacity Uses patented Super Wick #1041 ♦ Includes 2-Stage AirCare® Filter E-Z Roll Measures 28"L x 13⁷/₈" D x 22 ³/₈"H Casters for moving the unit



2-Stage

AirCare® Filter #1051
Traps airborne impurities.

Same features as above, except for the following:

◊ 2-speeds

◊ 10 gallon output


o 2100 sq. ft. coverage

427 300 Oak Burl UPC 043129-04613-9

CONSOLE STYLE HUMIDIFIERS H12 SERIES

Although this is a midsize unit, it is sufficient to humidify an entire 2500 sq. ft. house.

It also accomodates an optional air filter to increase indoor air quality.



2500 sq. ft.; 12 gal. per day ♦ Console Style



These stylish European-inspired console units offer humidification for up to 2300 sq. ft.

ED11 910 UPC 043129-25594-4 Charcoal, Titanium

♦ Automatic humidistat & built-in hygrometer

Variable speed motor with quiet nighttime setting

♦ 11 Gallon output per day

♦ 3 Gallon Total Water Capacity

♦ Uses Super Wick #1041

Optional 2-Stage AirCare®Filter #1051

Measures 24¹/₂"L x 15"D x 18" H



Easy-fill Side Reservoir



Replaceable SuperWick # 1041



Optional 2-Stage AirCare®Filter #1051



ED11 800 UPC 043129-25595-1 Khaki, White



SPACESAVER HUMIDIFIERS 821 000

Our spacesaver unit provides whole-house humidification in a compact cabinet that easily fits into a corner.



og Gallon output per day

- Humidifies 1900 sq. ft.
- ODigital Control
- 2-speed motor with quiet nighttime setting
- Refill light and Auto shutoff
- Hygrometer measures precise room humidity
- Measures 13"L x 17³/₄"D x 22"H

E-Z Roll Casters for moving the unit

> Uses Super Wick # 1043



821 000 White UPC 043129-11603-0

Easy Pour-in Reservoir




Wick frame sold separately

1900 sq. ft.; 9gal. per day ♦ Spacesaver Style

D46 720 TOWER

This attractive tower unit is capable of humidifying multiple rooms while taking up minimal space. Its digital controls offer precise humidity monitoring and control.



- 4-speed motor with quiet nighttime setting
- O Built-in hygrometer
- o 6 Gallon output per day
- Humidifies 1300 sq. ft.
- O Dual Water Tanks
- 3 Gallon Total Water Capacity
- ♦ Measures 15"L x 15" D x 26 1/2" H



Easy-fill Dual Water Tanks with handles and locking clips

Uses Dual SuperWick # 1040 High output, long-lasting

D46 720 Charcoal, Titanium UPC 043129-25599-9

MINI-CONSOLE HUMIDIFIERS 3D6 100

This handsome addition to our mini-console category has an impressive output of 5.5 gallons per day and utilizes dual wicks to provide coverage for a surprisingly large area of 1200 sq. ft.

Dual bottles hold a total of 3 gallons for extended run time.



- · Automatic humidistat
- Digital control
- 4-speed motor with quiet nighttime setting
- · Easy-fill dual bottles
- o 5.5 Gallon output per day
- o 3 Gallon Total Water Capacity
- O Uses Dual Super Wicks #1040
- Measures 19¹/₄"L x 12 ¹/₂" D x 14 ¹/₄"H



Uses Dual SuperWick # 1040

3D6 100

White, Midnight Blue, UPC 043129-25652-1

1200 sq. ft; 5.5 gal. per day ◊ Mini-Console Style

5D6 700

This midsize humidifier offers good looks, compact design and maximum humidification for up to 1100 sq. ft. The digital control panel provides precise humidity monitoring and control. The easy pour-in design makes refilling worry-free.



Optional 2-Stage AirCare® Filter #1050



Uses Dual SuperWick # 1040

- 5 Gallon output per day
- · Auto humidistat
- 4-speed motor with quiet nighttime setting
- O Built-in hygrometer
- · Easy pour-in fill method
- o 3 Gallon Total Water Capacity
- ♦ Uses two patented Super Wicks #1040
- Accomodates 2-Stage AirCare® Filter # 1050
- Measures 17 3/4"L x 91/4"D x 13 3/4"H



5D6 700 White UPC 043129-25597-5

Easy Pour-in Fill Method

TABLETOP HUMIDIFIERS

Tabletop units provide big humidification in a small package. Convenient for travel, apartments or children's bedrooms, tabletop units bring all the benefits of humidification with smaller price tag and footprint.

> 7D6 100 White, Midnight Blue UPC 043129-25598-2

Uses SuperWick #SGL 1040



- Humidifies 700 sq. ft.
- o 3 Gallon output per day
- Digital humidistat & built-in hygrometer
- 4-speed motor with quiet nighttime setting
- 2 Gallon Total Water Capacity
- Uses Super Wick SGL 1040
- Measures 12¹/₂"L x 17³/₄"D x 13"H



UPC 043129-25655-2

E27 000, White

E35 000, White UPC 043129-25656-9

- Humidifies up to 800 sq. ft.
- 3.5 gallon output per day
- Analog hygrometer
- Adjustable humidity level
- 2-speed motor
- O 2 Gallon Total Water Capacity
- Measures II"L x II"D x 101/2"H



- Humidifies 640 sq. ft.
- 0 2.7 gallon output per day
- o 2-speed motor
- 0 2 Gallon Total Water Capacity
- Oishwasher-safe base
- o Measures II"L x II"D x IO1/2"H

Both the E27 000 and E35 000 have easy pour-in bases and use the SGL 1040 Super Wick for replacement.



Page 9

MODEL/	DESCRIPTION	MSTR PAK/
SGL1040	Replacement wick - Single Pack	WT/ CUBE
	(1 tabletop wick per carton) • Fits 300, 500, 700, DP3, 5D6, 7D6, B23, E35000	4.0 lbs/ 0.543
0 43129 05776-0	and E27000	
	Replacement wick – Twin Pack (2 table top wicks per carton)	6 5.5 lbs/
0 43129 04467-8	• Fits 300, 500, 700 DP3, D46, B23, E35000 and E27000	0.891
1041	Replacement Console Wick	6 17.1 lbs/
	Fits 400, 600 and ED-11 Series	3.15
0 43129 04468-5	STATE OF STATE	
1043	Replacement Pedestal and Space Saver Wick	3 5.2 lbs/
0 43129 08259-7	Fits EP9 500 and 800 Series	1.14
3398020GRYP	Wick frame only for 1043	6
	Fits 800 Series	3 lbs/ 0.53
1044	Replacement Tabletop wick	6
	Fits 900 Series	3 lbs/ 0.53
0 43129 07487-3	Replacement Console Wick	3
	Fits H12 series	9.52 lbs/
	That it is sense	1.83
0 43129 09206-8	A CONTRACTOR	RES.
1050	AirCare® Filter – Tabletops – Two stage air cleaning filter removes dust,	6
3 3	pollen, smoke and odors	1.9 lbs/
0 43129 03462-4	Fits 500 Series	0.27
1051	AirCare® Filter - Two stage air	6
	cleaning filter removes dust, pollen, smoke and odors	5.5 lbs/ 0.91
0 43129 04466-1	Fits 400 and 600 Series Fits H and E Series	0.01
Page 10	That I and L delies	

MODEL/ UPC	DESCRIPTION	MSTR PAK/ WT/ CUBE
0 43129 08187-1	Replacement HEPA Air Purifier Filter • Fits Model 200 001	3 17.2 lbs/ 0.97
1103 0 43129 09821-3	Replacement HEPA Air Purifier Filter • Fits model 127 001	3 4.2 lbs/ 0.36
0 43129 09888-6	Replacement Carbon Prefilter for HEPA Air Filter • Fits Model 127 001	6 3 lbs/ 0.23
0 43129 09647-9	Replacement Air Purifier Filter Fits model DP3 200 2 in 1	3 4.6 lbs/ 0.91
0.43129 10757-1	Replacement MEGA Air Purifier Filter • Fits model 129 900	3 2.6 lbs/ 0.39
0 43129 01127-4	Quart Water Treatment Prevents Lime scale build-up Keeps water smelling clean For Water Wheel units only	12 28.9 lbs/ 1.02
1970 0 43129 04629-0	32 oz. Bacteria Treatment – EPA registered. Only treatment required for evaporative humidifiers • Helps control bacteria and algae buildup. • Keeps water smelling clean	6 14 lbs/ .52
0 43129 10758-4	Bottle Cap Replacement Pack— Contains two caps • Fits 400, 600, and H12 Series bottles	6 3 lbs/ 0.22
1990 0 43129 09491-8	Digital Hygrometer/Thermometer Digitally measures humidity and temperature Min/Max memory Fahrenheit/Centigrade switch	6 1.55 lbs/ 1.99
0 43129 25646-0	Universal Fill Tube 44 inches total length Fits most faucet heads	1 2.1 lbs/ 0.39

PRODUCT SHPPING SPECIFICATIONS

-									
Output per 24 hr	9 500 Pedestal 9 gallons	34 Libers	Output per 24 hr	s Traditional Cre 17 gallons	45,4 Liters	Output per 24 hr	es Traditional Con 13 Gallers	49.2 L	
	2000 sq feet	27 (IMI)	Coverage	2500 sq feet	49/4 Dieis	Coverage	2700 sq ft	77.6 %	
Coverage	ASSESSMENT OF THE OWNER, THE OWNE	13.2 Liters	THE RESERVE OF THE PERSON NAMED IN	The second second second	19.7 Liters	Capacity	THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED I	20.81	
Capacity	3.5 gallers		Copecity	5.2 gallers			5.5 gallers		
Dies. Lx 0 x H	19.7 x 19.7 x 27.6	50.x 50 x 68	Unit Dimensions in (cm	28.25 x 14.5 x 22	71.8x 36.8 x 58.4	Enit Dimensions in/cm	26.5 x 12.5 x 20	67.3 x 3.8 x 50.8	
Unit weight	25.5 lbs	11.34 kg	Unit weight	27.3 lbs	12.38 kg	Enit weight	21 lbs	9.53 kg	
Electrical space:	120 VDC/60 Herte/Watt	_	Electrical specs:	120 VDC/50 Hertz/W		Hedrical specs:	12010C/ 60 Hertz/1251		
Electrical Listing	ETL.	CETL	Electrical Listing	ETL COLOR	CETL	Bestrical Listing	ETL	CETL	
	P9 500 — Shipping			8 Series — Shipping			00 Series — Shipping		
Carten City	1		Corton City	100		Cartan Oty	100		
UPS Reship	1E5 11" x 27" x 29"		UPS Beship	YES	***	UPS Beship	YES		
Cortee Size in/cm		56 x 56 x 70	Corton Size in/cre	29 x 15 x 25	73.7 x 39.4 x 63.5	Carten Size in/cm	27.25 x 13.5 x 21	69.2 x 34.3 x	
Carter Weight	35 lbs	11.1lg	Corton Weight	22.2 lbs	14.6 kg	Carten Weight	25 lbs	11.1 kg	
	3.5		Corton Cube	6.5		Cartan Cabe	4.58		
Nor. Freight Class	62273		Hat. Freight Class	62273		Nat. Freight Class	62273		
LTL Freight Class	150		LTL freight Closs	150		LTL freight Class	100	1/2	
								V.	
	eries Console Style	Contract of the Contract of th	ED11	Euro-Console Styl		82	1 000 Spacesaver		
Output per 24 hr	12 gallons	45.41	Output per 24 hr	11 gallons	41.6	Dutpet per 24 hr	9 gellons	34 (
Coverage	2500 sq ft		Coverage	2306 sq ft		Coverage	1900 sq ft		
Capacity	5 gallons	19 L	Copecity	3 gollans	11.41	Capacity	6 gellans	22.71	
Unit Dimensions in/on	21.75 x 12.75 x 22.25	55.25 x 25 x	Unit Dimensions in/cre	24.5 x 15 x 18	62.2 x 38 x 45.7	Enit Dimensions in/on	13 x 17.75 x 22	33 x 45 x 55.9	
Unit weight	22.4 lbs	10.16 kg	Unit weight	20.12 lbs	9.13 kg	Est weight	15.5 lbs	Zillig	
Electrical space:	120 VDC/60 Nerts/170	Watts	Electrical space:	120 VOC/68 Norte/ 10	50 Watts	Bestrical space:	120 VOC/60 Rents/90 W	_	
Electrical Listing	m	CFR	Electrical Listing	FR.	CETL	Restrict Listing	m	CETT	
	2 Series — Shipping		ED	11 Series - Shipping			871 - Stigging		
Carter City	1		Corton Day	1		Carten Oty	1		
UPS Reship	YES		IPS Beskip	YES		EFS Exship	YES		
Corton Size in/cm	23 x15 x 23.5	58.4 ±38 × 59.7	Corton Size in/om	26.75 x 18.5 x	68 x 47 x 50.2	Carten Size in/on	13.5 x 19 x 22.75	34.3 x 48.3 x	
Certee Weight	15.5 lbs	11.57 kg	Corton Weight	22.42 lbs	10.62 kg	Cartes Weight	18.30 fbs	8.30 kg	
Cartee Cube	4.89		Corton Cube	5.66	Carried Street, or other Designation of the last of th	Cartes Cabe	3.38		
Not. Freight Class	62273		Not. Freight Class	62278-84		Sat. Freight Class	62278-04		
LTL Freight Class	110		LfL freight Class	150		Lit freight Class	150		
titinego usar			Citings can			tit in agin cans	124		
D46 720 Tower			3D6 100 Mini-Console			SD6 700 Mini-Console			
PLOSE SINCE STREET	2 - 0							101	
Output per 24 hr	6 gellons	22.71	Output per 24 ler	5.5 gallers	20.821	Dutpet per 24 hr.	5 Gallant	191	
Coverege	1200 sq ft	11.41	Coverage	1200 sq ft	11.001	Coverage	1100 sq ft	22.41	
Capacity Unit Dimensions in/cm	3 gallons 15 x 10 x 26.5	11.41 38x25.4x67.3	Coperity Unit Dimensions in/cm	3 gollons 14,25 x 19,5 x 12,5	11.361	Capacity	3 gollons 10 x 18.25 x 14.25	11.41 25.4 x 46.4 x 36.3	
The second district of		THE RESERVE OF THE PERSON NAMED IN COLUMN 1	Unit weight		36.3 x 49.5 x 31.8	Enit Dimensions in/cm Enit weight		The second name of the second	
Drit weight	11.30 lbs	5.13 kg		15.5 lbs	7.03 kg		3.7 lbs	1.67 kg	
Blechrical Space:	120 VDC/60 Hertz/65 V		Electrical specs:	120 VDC/60 Hertz/60		Bedrical specs:	120VDC/ 60 Hertz/125 \		
COLUMN TO SECURE	ETL	CETL	Electrical Listing	ETL.	CETL	Bestrical Listing	ETL China	CETL	
D46 720 - Shipping			Corton City	206 100 - Shipping		Contra Div	506 — Shipping		
Cartes Ofy UPS Reship	YES			YES		Carter Oty EPS Beship	VEC		
Cartee Size in lun	17.75 x 12.75 x 29	45.1 x 32.4 x 74	UPS Reship Conton Size in/cm		41.3 x 54 x 31.1	THE RESERVE OF THE PERSON NAMED IN COLUMN 1	YES 11 1/4 x 19 1/2 x 15	20 4 - 40 5 - 20	
	-			16.25 x 21.25 x 15		Cartes Size in/on	The second secon	28.6 x 49.5 x 29.4	
Cartee Weight	15.30 lbs	6.9 kg	Corton Weight	19.5 lbs	8.8 kg	Cartes Weight	5.9 lbs	2.7 kg	
Certee Cobe	4.07		Corton Cube	2 41111 41		Carten Cabe	1.97		
Not. Freight Class	67278-04		Not. Freight Class	62270-03		Net. Freight Class	63273		
LTL Freight Class	150		LTL Freight Class	150		LTL freight Class	100		
-	00 T. LL.		-				07 A40 F 11		
706 100 Tabletop Style			E35 000 Tebletop				E27 000 Tabletop		
Output per 24 hr	3 gallons	11.36	Output per 24 hr	3.5 gellers	13.25 L	Output per 24 hr	2.7 polices	10.22 L	
Coverage	700 sqft		Coverage	800 sq ft	MARKET AND A	Coverage	670 sq ft		
Capacity	2 gellons	7.61	Copecity	2 gellons	7.21	Capacity	2 gollans	7.6L	
	12.5 x 17.75 x 13	31.8 x 45 x 33	Unit Dimensions in/on	11 x 11 x 10.5	28 x 28 x 27	Capacity	11x11x10.5	28 x 28 x 27	
Unit Dimensions in/on			Unit weight	6.25	2.83 kg	Enit weight	6.25	2.83 kg	
Unit Dimensions in/on Unit weight	7.10 lbs	3.22 kg			Minds	I Blackeloud enters		atts	
Unit Dimensions in/or Unit weight Electrical space	7,10 lbs 120 VDC/60 Herts/ 160	Wells	Electrical space:	120 VDC/60 Hertz/90		Electrical space:	120 VDC/60 Hertz/60 W	-	
Drit Dimensions in/on Unit weight Blockricel space: Blockricel Listing	7,10 lbs 120 VDC/60 Hertz/160 ERL		Electrical space: Electrical Listing	ETL.	CETL.	Electrical Listing	ETIL	CETL	
Unit Dissensions in/cm Unit weight Electrical spars: Electrical Listing	7,10 lbs 120 VDC/60 Herts/ 160	Wells	Electrical space: Electrical Listing			Bectrical Listing	ETL E27 000 — Shipping	-	
Unit Dimensions in/on Unit weight Electrical space: Electrical Listing	7,10 lbs 120 VDC/60 Hertz/160 ERL	Wells	Electrical space: Electrical Listing	ETL.		Electrical Listing	ETIL	-	
Drit Dinnersines in/on Drit weight Electrical specs Electrical Listing Carter City UPS Teship	7.10 lbs 120 VDC/60 Herts/ 160 ER. 706 — Shipping	Wells	Electrical space: Electrical Listing	ETL.	CETL	Bectrical Listing	ETL E27 000 — Shipping	-	
Drit Binancians in/on Drit weight Electrical space. Electrical Listing	7.10 fbs 120 VDC/60 Herts/ 160 ETL 706 — Shipping 1	Wells	Electrical space: Electrical Listing Corton Dty	ETL 25 000 — Shipping 1		Electrical Listing Corten City	ETL E27 000 — Shipping 1	-	
Drift Dissurations in/con Drift weight Electrical spaces Electrical Licting Carter City LPS Techny	7.10 fbs 120 VDC/60 Herts/160 ETL 786 — Soloning 1 VES	Watts CETL	Electrical space: Electrical Listing Conton City UPS Reship	ETIL 25 000 — Stinning 1 YES	CETL	Electrical Listing Contain Ony EPS Beship	ETL EZ7 000 — Shipping I YES	CETL	
Drift Biomersions in/orn Drift weight Electrical sporss Electrical Listing Cartee Oly UPS Reship Cartee Size In/orn	7.10 fbs 120 VDC/60 Hertz/160 ETL 735 — Shizzing 1 YES 12.5 x 20 x 15	Wetts CETL 34.3 x 50.8 x	Electrical space: Electrical Listing Corton City UPS Beship Corton Size in/ore	ETL. 25 000 — Sylaphing 1 YES 15 x 14 x 11.75	28 x 35.6 x 30	Bestrical Listing Contain City EPS Beship Contain Size in/on	ETL E27 000 — Shipping 1 YES 15 x 14 x 11.75	28 x 35.6 x 30	
Drift Biomersines in/on Drift weight Electrical sporss Electrical Listing Cartee Oly UPS Reship Cartee Size In/on Cartee Weight	7.10 fbs 120 VDC/60 Hertz/160 ETL 736 — Drissing 1 VES 13.5 x 20 x 15 9.30 fbs	Wetts CETL 34.3 x 50.8 x	Electrical Space: Electrical Listing Corton City UPS Beship Corton Size Injury Corton Weight	ETL. 35 000 — Skinning 1 YES 15 x 14 x 11.75 70s	28 x 35.6 x 30	Electrical Listing Contain City EPS Baship Contain Size in/cm Contain Weight	ETL E27 000 — Shipping 1 YES 15 x 14 x 11.75 7 lbs	28 x 35.6 x 30	



www.essickair.com 1-800-547-3888