


This Owner's Manual is provided and hosted by [Appliance Factory Parts](http://www.appliancefactoryparts.com).



MAJESTIC VWF24SP Owner's Manual

**Shop genuine replacement parts for MAJESTIC
VWF24SP**



Find Your MAJESTIC Fireplace Parts - Select From 585 Models

----- Manual continues below -----



Vented Gas Logs

MAJESTIC 

Vented Gas Logs

Adding the beauty and warmth of fire to your existing masonry or wood burning fireplace is easier than ever with the vented gas logs from Majestic. Available in a range of sizes to suit your particular requirements, our vented gas logs are a great alternative to installing a whole new fireplace.

Meticulous attention to detail makes the vented gas logs from Majestic look incredibly realistic and the glowing embers add to their warm ambiance. Add an optional decorative grate or andirons to complete the look and you'll understand why the vented gas logs from Majestic are the natural choice for your home.

TRIPLE PLAY BURNER (TPB) SERIES



TPB Blazing Oak fiber ceramic

CLASSIC (VWF WILD FLAME) SERIES



VWF American Oak refractory

Give people a place to gather – make fire the focal point of your room again with our wide variety of gas logs from Majestic.


CLASSIC (VWF WILD FLAME) SERIES



VWF24 Massive Oak refractory



VWF Split Pine refractory




VWF24 Massive Oak See-Thru refractory

COLOSSAL (VWF WILD FLAME) SERIES



VWF24 Weathered Pine refractory



VWF Split River Oak refractory

Optional Accessories



See our Ambient Technologies® catalog for a complete line of remotes and thermostats.



Decorative grate + Decorative andirons



Universal andirons



Cinders



Decorative fiber ember kit



Log switch with 12" wire



Ember remote receiver cover



Metal insulated remote receiver cover

Vented Gas Logs

Model	Classic Series Log Size	Colossal Series Log Size*	Fuel Type	Manual Control				Manual SPK Control				Millivolt Control / HI-LOW				Radiant Heat Output	
				Minimum Front	Hearth Depth	Area Back	Height	Minimum Front	Hearth Depth	Area Back	Height	Minimum Front	Hearth Depth	Area Back	Height		BTU/H
CSA VENTED GAS LOGS REFRACTORY																	
VWF18	18"	24"	NG	-	-	-	-	24	13 1/2"	21"	16"	28"	13 1/2"	25"	16"	60,000	14,000
VWF18	18"	24"	LP	-	-	-	-	24	13 1/2"	21"	16"	28"	13 1/2"	25"	16"	60,000	14,000
VWF24	24"	30"	NG	-	-	-	-	30	13 1/2"	27"	16"	34"	13 1/2"	31"	16"	70,000	16,000
VWF24	24"	30"	LP	-	-	-	-	30	13 1/2"	27"	16"	34"	13 1/2"	31"	16"	60,000	14,000
VWF30	30"	36"	NG	-	-	-	-	36	13 1/2"	33"	16"	40"	13 1/2"	37"	16"	80,000	18,000
VWF30	30"	36"	LP	-	-	-	-	36	13 1/2"	33"	16"	40"	13 1/2"	37"	16"	60,000	14,000
VWF36	36"	-	NG	-	-	-	-	42	13 1/2"	39"	16"	46"	13 1/2"	41"	16"	90,000	22,000
VWF36	36"	-	LP	-	-	-	-	42	13 1/2"	39"	16"	46"	13 1/2"	41"	16"	60,000	14,000
VWF18ST	18"	-	NG	-	-	-	-	-	-	-	-	28"	16"	28"	16"	60,000	14,000
VWF18ST	18"	-	LP	-	-	-	-	-	-	-	-	28"	16"	28"	16"	60,000	14,000
VWF24ST	24"	-	NG	-	-	-	-	-	-	-	-	34"	16"	34"	16"	70,000	16,000
VWF24ST	24"	-	LP	-	-	-	-	-	-	-	-	34"	16"	34"	16"	60,000	14,000

RADCO VENTED GAS LOGS																	
VWF18	18"	24"	NG	22"	13"	19"	16"	24"	13 1/2"	21"	16"	28"	13 1/2"	25"	16"	80,000	18,000
VWF18	18"	24"	LP	22"	13"	19"	16"	24"	13 1/2"	21"	16"	28"	13 1/2"	25"	16"	60,000	14,000
VWF24	24"	30"	NG	28"	13"	25"	16"	30"	13 1/2"	27"	16"	34"	13 1/2"	31"	16"	90,000	20,000
VWF24	24"	30"	LP	28"	13"	25"	16"	30"	13 1/2"	27"	16"	34"	13 1/2"	31"	16"	60,000	14,000
VWF30	30"	36"	NG	34"	13"	31"	16"	36"	13 1/2"	33"	16"	40"	13 1/2"	37"	16"	90,000	22,000
VWF30	30"	36"	LP	34"	13"	31"	16"	36"	13 1/2"	33"	16"	40"	13 1/2"	37"	16"	60,000	14,000
VWF36	36"	-	NG	38"	13"	37"	16"	42"	13 1/2"	39"	16"	46"	13 1/2"	41"	16"	90,000	22,000
VWF36	36"	-	LP	38"	13"	37"	16"	42"	13 1/2"	39"	16"	46"	13 1/2"	41"	16"	60,000	14,000
VWF18ST	18"	-	NG	24"	16"	20"	16"	24"	16"	24"	16"	28"	16"	28"	16"	80,000	18,000
VWF18ST	18"	-	LP	24"	16"	20"	16"	24"	16"	24"	16"	28"	16"	28"	16"	60,000	14,000
VWF24ST	24"	-	NG	28"	16"	26"	16"	30"	16"	30"	16"	34"	16"	34"	16"	90,000	20,000
VWF24ST	24"	-	LP	28"	16"	26"	16"	30"	16"	30"	16"	34"	16"	34"	16"	60,000	14,000

Model	Log Size	Fuel Type	Minimum Hearth Area				Height	Millivolt Control BTU/H	
			Front	Depth	Back	Height		NG	LP
VENTED GAS LOGS FIBER									
TPB18	18"	NG/LP	26"	13"	18"	17"	28,000	28,000	
TPB24	24"	NG/LP	29"	13"	22 1/4"	17"	38,000	34,000	
TPB30	30"	NG/LP	33"	13"	25 1/4"	17"	38,000	34,000	

*When using Colossal Series Split River Oak and Weathered Pine logs, use the burner specifications for the millivolt control for all installations when sizing for minimum hearth area.



MAJESTIC



A Brand of Monessen Hearth Systems Co.
149 Cleveland Drive, Paris, Kentucky 40361
www.majesticproducts.com

Your Majestic Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2009 Monessen Hearth Systems Co.