

This Owner's Manual is provided and hosted by Appliance Factory Parts.



FANTECH FTC463280 Owner's Manual

[Shop genuine replacement parts for FANTECH
FTC463280](#)



[Find Your FANTECH Fan Parts - Select From 108 Models](#)

----- Manual continues below -----

SER 260D Fresh Air Appliance

Item #: 463280

Variant : 120V 1~ 60Hz



Technical parameters

Product	
Voltage (nominal)	120 V
Frequency	60 Hz
Phase(s)	1~
Input power	300 W
Input current	2.5 A
Air flow	max 239 cfm
Static pressure	0.4 in.wg
Certificate	CSA, AHRI
Exchanger	
Exchanger type	Energy recovery (synthetic)
Dimensions and weights	
Weight	79.6 lb
Used for	
Installation placement	Horizontal

Description

- Airflow up to 239 cfm @ 0.4" PS
- Removable screw terminal for easy connection
- ERV transfers both heat and humidity
- Optional drain line
- Anti-microbial material
- Withstands freezing
- AHRI certified
- Fans with backward curved RadiCAL blade
- No balancing required

Application

Suitable for very large residential or small commercial applications, the compact SER260D comes with access panels on both sides of the unit for installation versatility.

How it works


The SER260D unit brings a continuous supply of fresh air into a home while exhausting an equal amount of contaminated air. The enthalpic core at the...

Find more details in our online catalogue


Performances

	Speed	Supply Temperature		Net Airflow		Net Effectiveness			
		°F	°C	cfm	L/s	Latent	Total		
Heating	Low	35	1.7	165	78	163	73	5.8	6.8
	Medium	35	1.7	205	97	197	71	5.4	6.5
	High	35	1.7	240	113	275	70	5.2	6.3
Cooling	Low	95	35	165	78	163	73	5.4	6.1
	Medium	95	35	205	97	197	71	5.0	5.8
	High	95	35	240	113	275	70	4.7	5.6


Dimensions



Supply - Performance curve



Extract - Performance curve



Unit	Supply	Extract
Required air flow	-	-
Working air flow	-	-
Required external pressure	-	-
Working air pressure	-	-
Power	-	-
Current	-	-
Air density	0.075 lb/ft ³	
Fan control - RPM	-	-

Accessories

ECO-Feel® Auto IAQ Control (414729)
 RTS-W Wireless Timer (414920)
 FML 8 Metal Hood Supply Air (45148)
 Filter,MERV13,260-450,Repl.kit (414935)
 MDEH1 Low Voltage Dehumidistat (40172)

ECO-Touch® Auto IAQ (414727)
 FIDT 8 Insulated Flex Duct (411065)
 ADC 8 Shut-off Damper w Motor (44690)
 Filter,MERV8,260-450,Repl. kit (414928)

Documents

E400058 SER 260D Dimensional Submittal.pdf
 445512 SER260D IOM EN FR.pdf
 463280 SER 260D Spare Part List.pdf
 445531 SER260D Spec Sheet.pdf