

This Owner's Manual is provided and hosted by [Appliance Factory Parts](#).



# Shop Vac 5HM400 Owner's Manual

[Shop genuine replacement parts for Shop Vac 5HM400](#)



[Find Your Shop Vac Vacuum Cleaner Parts - Select From 487 Models](#)

----- Manual continues below -----

**shop·vac**



HARDWARE  
OVERVIEW  
CATALOG



## HARDWARE SERIES

---

|                           |          |                                      |            |
|---------------------------|----------|--------------------------------------|------------|
| Hardware Series.....      | Page 2-4 | Vac'N Vac Series.....                | Page 11    |
| Hardware Series SVX2..... | Page 5-7 | Wall Mount Series.....               | Page 11    |
| Blower Series.....        | Page 8   | Replacement Accessories & Filter.... | Page 12-13 |
| Pump Series.....          | Page 9   |                                      |            |
| Portable Series.....      | Page 10  |                                      |            |



# shop·vac<sup>®</sup>

## HARDWARE SERIES

These wet/dry vacs offer an even greater range of quiet power. With motors ranging from 2.0 to 5.0 peak horsepower, we can equip you with the power you need, for any mess...wet or dry.



### ACCESSORY STORAGE:

Keeps your tools organized and always on-hand. Accessory storage varies per model.



### EXTRA LARGE HOSE HOLDER:

Wrap your hose conveniently and easily around the motor housing when you're not using your vacuum. The hose holder keeps the hose in place for convenient storage.



### REAR BLOWER PORT:

Just remove the tethered cap and attach the vacuum hose to the rear blower port and you've got yourself a powerful blower. Blow away sawdust from stationary tools or leaves and lawn debris from sidewalks or patios.



### LOCK-ON HOSE<sup>®</sup>:

For eliminating unwanted hose disconnections. *(on 8 gallon and larger units)*



HARDWARE SERIES

## 5982500 - 5 U.S. Gallons\*

2.0 Peak HP† - 2 Yr. Warranty

**Accessories** - 7' x 1¼" Hose, (3) Extension Wands, 10" Wet/Dry Nozzle, Gulper Nozzle, Crevice Tool, Cartridge Filter, Foam Sleeve and Filter Bag.



| Catalog | Capacity    | Peak HP | UPC             | Carton Dimensions  | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                 | Air Watts | Electric Rating | Cord  |
|---------|-------------|---------|-----------------|--------------------|------|-----------------|-----------------------|---------------------------------|-----------|-----------------|-------|
| 5982500 | 5 U.S. Gal* | 2.0†    | 0 26282 59825 7 | 13¾" x 13¾" x 19½" | 2.1  | 12 lbs.         | 60†                   | 40†<br><i>(inches of water)</i> | 95†       | 120V~60Hz 7.5A  | 6 ft. |

## 5982600 - 6 U.S. Gallons\*

3.0 Peak HP† - 3 Yr. Warranty

**Accessories** - 8' x 1½" Lock-On® Hose, (2) Extension Wands, Crevice Tool, Gulper Nozzle, Floor Nozzle, Foam Sleeve Cartridge Filter and Filter Bag.



| Catalog | Capacity    | Peak HP | UPC             | Carton Dimensions  | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                 | Air Watts | Electric Rating | Cord  |
|---------|-------------|---------|-----------------|--------------------|------|-----------------|-----------------------|---------------------------------|-----------|-----------------|-------|
| 5982600 | 6 U.S. Gal* | 3.0†    | 0 26282 59826 4 | 13½" x 13½" x 22½" | 2.4  | 15 lbs.         | 65†                   | 55†<br><i>(inches of water)</i> | 150†      | 120V~60Hz 8.4A  | 6 ft. |

## 5982800 - 8 U.S. Gallons\*

4.0 Peak HP† - 3 Yr. Warranty

**Accessories** - 8' x 1½" Lock-On® Hose, (2) Extension Wands, Crevice Tool, Gulper Nozzle, Floor Nozzle, Foam Sleeve Cartridge Filter and Filter Bag.



| Catalog | Capacity    | Peak HP | UPC             | Carton Dimensions  | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                 | Air Watts | Electric Rating | Cord  |
|---------|-------------|---------|-----------------|--------------------|------|-----------------|-----------------------|---------------------------------|-----------|-----------------|-------|
| 5982800 | 8 U.S. Gal* | 4.0†    | 0 26282 59828 8 | 16½" x 16½" x 22¼" | 3.5  | 18 lbs.         | 70†                   | 55†<br><i>(inches of water)</i> | 140†      | 120V~60Hz 9.8A  | 6 ft. |

3. †ASTM Tested with an 7 ft. long x 1¼ in. diameter Shop-Vac® hose.

# shop·vac®

## 5982900 - 8 U.S. Gallons\*

5.0 Peak HP† - 3 Yr. Warranty

**Accessories** - 8' x 1½" Lock-On® Hose, (2) Extension Wands, Crevice Tool, Gulper Nozzle, Floor Nozzle, Foam Sleeve Cartridge Filter and Filter Bag.



| Catalog | Capacity    | Peak HP | UPC             | Carton Dimensions  | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                 | Air Watts | Electric Rating | Cord  |
|---------|-------------|---------|-----------------|--------------------|------|-----------------|-----------------------|---------------------------------|-----------|-----------------|-------|
| 5982900 | 8 U.S. Gal* | 5.0†    | 0 26282 59829 5 | 16¾" x 16¾" x 21¾" | 3.5  | 21 lbs.         | 70†                   | 52†<br><i>(inches of water)</i> | 140†      | 120V~60Hz 11.3A | 6 ft. |

## 5982100 - 10 U.S. Gallons\*

5.0 Peak HP† - 3 Yr. Warranty

**Accessories** - 8' x 1½" Lock-On® Hose, (2) Extension Wands, Crevice Tool, Gulper Nozzle, Floor Nozzle, Foam Sleeve Cartridge Filter and Filter Bag.



| Catalog | Capacity     | Peak HP | UPC             | Carton Dimensions  | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                 | Air Watts | Electric Rating | Cord  |
|---------|--------------|---------|-----------------|--------------------|------|-----------------|-----------------------|---------------------------------|-----------|-----------------|-------|
| 5982100 | 10 U.S. Gal* | 5.0†    | 0 26282 59821 9 | 16¾" x 16¾" x 25½" | 4.1  | 20 lbs.         | 70†                   | 52†<br><i>(inches of water)</i> | 140†      | 120V~60Hz 11.3A | 6 ft. |

†ASTM Tested with an 8 ft. long x 1¼ in. diameter Shop-Vac® hose.

HARDWARE SERIES



## HARDWARE SERIES SVX2

The SVX2 advance motor technology creates a vacuum with more power and longer motor life. These vacuums have a 50% increase in air watts; when compared to a Shop-Vac® brand vacuum not containing the SVX2 motor technology.



### TANK DRAIN:

Not standard on all models.



### EXTRA LARGE HOSE HOLDER:

Wrap your hose conveniently and easily around the motor housing when you're not using your vacuum. The hose holder keeps the hose in place for convenient storage.



### REAR BLOWER PORT:

Just remove the tethered cap and attach the vacuum hose to the rear blower port and you've got yourself a powerful blower. Blow away sawdust from stationary tools or leaves and lawn debris from sidewalks or patios.



**LOCK-ON HOSE®:** For eliminating unwanted hose disconnections.



**ACCESSORY STORAGE:** Keeps your tools organized and always on-hand. Accessory storage varies per model.



HARDWARE SERIES SVX2



# shop·vac®

## 5910400 SVX2 - 4 U.S. Gallons\*

5.5 Peak HP† - 5 Yr. Warranty

**Accessories** - 8' x 1½" Lock-On® Hose, (3) Extension Wands, Floor Nozzle, Crevice Tool, Gulper Nozzle, Round Brush, Dual Surface Nozzle, Foam Sleeve, Cartridge Filter and High Efficiency Filter Bag.



| Catalog | Capacity    | Peak HP | UPC             | Carton Dimensions  | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                 | Air Watts | Electric Rating | Cord   |
|---------|-------------|---------|-----------------|--------------------|------|-----------------|-----------------------|---------------------------------|-----------|-----------------|--------|
| 5910400 | 4 U.S. Gal* | 5.5†    | 0 26282 59104 3 | 20½" x 13¼" x 17½" | 2.8  | 17 lbs.         | 105†                  | 65†<br><i>(inches of water)</i> | 270†      | 120V~60Hz 11.6A | 18 ft. |

## 8251200 SVX2 - 12 U.S. Gallons\*

5.5 Peak HP† - 5 Yr. Warranty

**Accessories** - 8' x 2½" Lock-On® Hose, (2) Extension Wands Floor Nozzle, 8" Utility Nozzle, Crevice Tool, Elbow Grip, Cartridge Filter, Foam Sleeve and High Efficiency Filter Bag.



| Catalog | Capacity     | Peak HP | UPC             | Carton Dimensions  | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                  | Air Watts | Electric Rating | Cord   |
|---------|--------------|---------|-----------------|--------------------|------|-----------------|-----------------------|----------------------------------|-----------|-----------------|--------|
| 8251200 | 12 U.S. Gal* | 5.5†    | 0 26282 82512 4 | 18¼" x 18¼" x 24½" | 4.7  | 24 lbs.         | 140**                 | 70**<br><i>(inches of water)</i> | 370**     | 120V~60Hz 11.6A | 12 ft. |

## 8251400 SVX2 - 14 U.S. Gallons\*

6.5 Peak HP† - 5 Yr. Warranty

**Accessories** - 8' x 2½" Lock-On® Hose, (2) Extension Wands Floor Nozzle, 8" Utility Nozzle, Crevice Tool, Elbow Grip, Cartridge Filter, Foam Sleeve and High Efficiency Filter Bag.



| Catalog | Capacity     | Peak HP | UPC             | Carton Dimensions  | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                  | Air Watts | Electric Rating | Cord   |
|---------|--------------|---------|-----------------|--------------------|------|-----------------|-----------------------|----------------------------------|-----------|-----------------|--------|
| 8251400 | 14 U.S. Gal* | 6.5†    | 0 26282 82514 8 | 18¼" x 18¼" x 33½" | 6.5  | 33 lbs.         | 150**                 | 72**<br><i>(inches of water)</i> | 370**     | 120V~60Hz 12A   | 12 ft. |

\*ASTM Tested with an 8 ft. long x 1½ in. diameter Shop-Vac® hose. \*\*ASTM Tested with an 8 ft. long x 2½ in. diameter Shop-Vac® hose.



# HARDWARE SERIES SVX2

The SVX2 motor gives more power and better performance, when compared to standard E-Frame motor.

## 5811600 SVX2 - 16 U.S. Gallons\*

6.5 Peak HP<sup>†</sup> - 5 Yr. Warranty

**Accessories** - 8' x 2½" Lock-On® Hose, (2) Extension Wands, Floor Nozzle, 8" Utility Nozzle, Crevice Tool, Elbow Grip, Cartridge Filter, Foam Sleeve and High Efficiency Filter Bag.



| Catalog | Capacity     | Peak HP          | UPC             | Carton Dimensions  | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                              | Air Watts         | Electric Rating | Cord   |
|---------|--------------|------------------|-----------------|--------------------|------|-----------------|-----------------------|--|-------------------|-----------------|--------|
| 5811600 | 16 U.S. Gal* | 6.5 <sup>†</sup> | 0 26282 58116 7 | 27¾" x 21½" x 26⅝" | 9.2  | 32 lbs.         | 150 <sup>††</sup>     | 70 <sup>††</sup><br><i>(inches of water)</i> | 365 <sup>††</sup> | 120V~60Hz 12A   | 18 ft. |

## 8252600 SVX2 - 16 U.S. Gallons\*

6.5 Peak HP<sup>†</sup> - 5 Yr. Warranty

**Accessories** - 8' x 2½" Lock-On® Hose, (2) Extension Wands, Floor Nozzle, 8" Utility Nozzle, Crevice Tool, Elbow Grip, Tool Bag, Cartridge Filter, Foam Sleeve and High Efficiency Filter Bag.



| Catalog | Capacity     | Peak HP          | UPC             | Carton Dimensions  | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                              | Air Watts         | Electric Rating | Cord   |
|---------|--------------|------------------|-----------------|--------------------|------|-----------------|-----------------------|--|-------------------|-----------------|--------|
| 8252600 | 16 U.S. Gal* | 6.5 <sup>†</sup> | 0 26282 82526 1 | 19½" x 19½" x 23¾" | 5.2  | 30 lbs.         | 150 <sup>††</sup>     | 72 <sup>††</sup><br><i>(inches of water)</i> | 370 <sup>††</sup> | 120V~60Hz 12A   | 12 ft. |

## 8252800 SVX2 - 18 U.S. Gallons\*

6.5 Peak HP<sup>†</sup> - 5 Yr. Warranty

**Accessories** - 8' x 2½" Lock-On® Hose, (2) Extension Wands, Floor Nozzle, 8" Utility Nozzle, Crevice Tool, Elbow Grip, Tool Bag, Cartridge Filter, Foam Sleeve and High Efficiency Filter Bag.



| Catalog | Capacity     | Peak HP          | UPC             | Carton Dimensions  | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                              | Air Watts         | Electric Rating | Cord   |
|---------|--------------|------------------|-----------------|--------------------|------|-----------------|-----------------------|--|-------------------|-----------------|--------|
| 8252800 | 18 U.S. Gal* | 6.5 <sup>†</sup> | 0 26282 82528 5 | 19½" x 19½" x 25½" | 5.6  | 31 lbs.         | 150 <sup>††</sup>     | 72 <sup>††</sup><br><i>(inches of water)</i> | 370 <sup>††</sup> | 120V~60Hz 12A   | 12 ft. |

7. ††ASTM Tested with an 8 ft. long x 2½ in. diameter Shop-Vac® hose.

HARDWARE SERIES SVX2

# shop·vac<sup>®</sup>

BRAND

## BLOWER VAC

This Blower Vac gives you a wet/dry vacuum that can also be converted into a handheld, detachable blower.

**9630200 - 12 U.S. Gallons\***

**6.0 Peak HP<sup>†</sup> - 4 Yr. Warranty**

**Accessories** - 8' x 2½" Lock-On<sup>®</sup> Hose, (2) Extension Wands, Floor Nozzle, Utility Nozzle, Concentrator Nozzle, Blower Nozzle, Crevice Tool, 120° Elbow, Elbow Grip, Foam Sleeve, Cartridge Filter and Filter Bag.



| Catalog | Capacity     | Peak HP          | UPC             | Carton Dimensions  | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                                      | Air Watts         | Electric Rating | Cord   |
|---------|--------------|------------------|-----------------|--------------------|------|-----------------|-----------------------|--|-------------------|-----------------|--------|
| 9630200 | 12 U.S. Gal* | 6.0 <sup>†</sup> | 0 26282 96302 4 | 18¼" x 18¼" x 22¾" | 4.4  | 26 lbs.         | 110 <sup>††</sup>     | 50 <sup>††</sup><br><small>(inches of water)</small> | 200 <sup>††</sup> | 120V~60Hz 11.8A | 18 ft. |



**DETACHABLE BLOWER**



**ATTACH BLOWER NOZZLE**



**ATTACH WAND**



<sup>††</sup>ASTM Tested with an 8 ft. long x 2½ in. diameter Shop-Vac<sup>®</sup> hose.

BLOWER VAC

# PUMP VACS

The Pump Vac gives you a wet/dry vac with a built-in water pump. The built in water pump allows you to remove liquids from the vacuum's tank using a standard garden hose (not included)<sup>§</sup>.

**5822400 - 14 U.S. Gallons\***

6.0 Peak HP<sup>†</sup> - 4 Yr. Warranty

**Accessories** - 8' x 2½" Hose, (2) Extension Wands, Floor Nozzle, Crevice Tool, Utility Nozzle, Elbow Grip, Foam Sleeve Cartridge Filter and Filter Bag.



| Catalog | Capacity     | Peak HP          | UPC             | Carton Dimensions | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                              | Air Watts         | Electric Rating | Cord   |
|---------|--------------|------------------|-----------------|-------------------|------|-----------------|-----------------------|--|-------------------|-----------------|--------|
| 5822400 | 14 U.S. Gal* | 6.0 <sup>†</sup> | 0 26282 58224 9 | 18¼" x 18¼" x 27" | 5.2  | 27 lbs.         | 135 <sup>††</sup>     | 52 <sup>††</sup><br><i>(inches of water)</i> | 270 <sup>††</sup> | 120V~60Hz 11.8A | 18 ft. |



**HOOK IT UP**



**PICK IT UP**



**PUMP IT OUT**



9. <sup>††</sup>ASTM Tested with an 8 ft. long x 2½ in. diameter Shop-Vac® hose. <sup>§</sup>Garden hose not included.

PUMP VAC

# shop·vac<sup>®</sup> BRAND


## PORTABLES

These vacs are lightweight and portable. They can be used for quick wet and dry pick up jobs in your house, garage, workshop or vehicles. The wall mount bracket makes for easy, compact storage.

### 2030100 - 1.5 U.S. Gallons\*

2.0 Peak HP<sup>†</sup> - 2 Yr. Warranty

**Accessories** - 4' x 1¼" Hose, Gulper Nozzle, Crevice Tool Wall Mount Bracket, Wall Mount Tool Holder, Reusable Dry Filter and Foam Sleeve.




| Catalog | Capacity      | Peak HP          | UPC             | Carton Dimensions  | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                                     | Air Watts       | Electric Rating | Cord  |
|---------|---------------|------------------|-----------------|--------------------|------|-----------------|-----------------------|---|-----------------|-----------------|-------|
| 2030100 | 1.5 U.S. Gal* | 2.0 <sup>†</sup> | 0 26282 20301 4 | 11¾" x 10¾" x 11¾" | .86  | 8 lbs.          | 46 <sup>†</sup>       | 50 <sup>†</sup><br><small>(inches of water)</small> | 90 <sup>†</sup> | 120V~60Hz 7.8A  | 6 ft. |

### 2036000 - 2.5 U.S. Gallons\*

2.5 Peak HP<sup>†</sup> - 3 Yr. Warranty

**Accessories** - 4' x 1¼" Hose, Gulper Nozzle, Crevice Tool Wall Mount Bracket, Wall Mount Tool Holder, Reusable Dry Filter and Foam Sleeve.



| Catalog | Capacity      | Peak HP          | UPC             | Carton Dimensions | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                                     | Air Watts        | Electric Rating | Cord  |
|---------|---------------|------------------|-----------------|-------------------|------|-----------------|-----------------------|---|------------------|-----------------|-------|
| 2036000 | 2.5 U.S. Gal* | 2.5 <sup>†</sup> | 0 26282 20360 1 | 12½" x 11¼" x 13" | 1.06 | 8 lbs.          | 60 <sup>†</sup>       | 56 <sup>†</sup><br><small>(inches of water)</small> | 120 <sup>†</sup> | 120V~60Hz 8A    | 6 ft. |

### 5870200 - 5 U.S. Gallons\*

6.0 Peak HP<sup>†</sup> - 5 Yr. Warranty

**Accessories** - 7' x 1½" Lock-On<sup>®</sup> Hose, Crevice Tool Claw Nozzle, Foam Sleeve, Cartridge Filter and Filter Bag.



| Catalog | Capacity    | Peak HP          | UPC             | Carton Dimensions | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                                       | Air Watts          | Electric Rating | Cord   |
|---------|-------------|------------------|-----------------|-------------------|------|-----------------|-----------------------|---|--------------------|-----------------|--------|
| 5870200 | 5 U.S. Gal* | 6.0 <sup>†</sup> | 0 26282 58702 2 | 17¼" x 14" x 17¼" | 2.5  | 17 lbs.         | 65 <sup>†††</sup>     | 50 <sup>†††</sup><br><small>(inches of water)</small> | 125 <sup>†††</sup> | 120V~60Hz 11.8A | 20 ft. |

\*ASTM Tested with an 4 ft. long x 1¼ in. diameter Shop-Vac<sup>®</sup> hose.    †††ASTM Tested with an 7 ft. long x 1¼ in. diameter Shop-Vac<sup>®</sup> hose.

PORTABLES

# VAC N VAC & WALL MOUNT

## 9620400 - 14/2.5 U.S. Gallons\*

5.0 Peak HP<sup>†</sup> - 3 Yr. Warranty

**Accessories** - 8' x 2½" Lock-On<sup>®</sup> Hose, (2) Extension Wands, Floor Nozzle with Brush, Utility Nozzle, Crevice Tool, 4' x 1¼" Hose, Gulper Nozzle, Crevice Tool, Cartridge Filter, Small and Large Foam Sleeves, Filter Bag and Small Cartridge Filter.



| Catalog | Capacity                      | Peak HP          | UPC             | Carton Dimensions  | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                              | Air Watts         | Electric Rating | Cord   |
|---------|-------------------------------|------------------|-----------------|--------------------|------|-----------------|-----------------------|--|-------------------|-----------------|--------|
| 9620400 | 14 U.S. Gal*<br>2.5 U.S. Gal* | 5.0 <sup>†</sup> | 0 26282 96204 1 | 18¾" x 18¾" x 30¾" | 6.26 | 32 lbs.         | 145 <sup>††</sup>     | 52 <sup>††</sup><br><i>(inches of water)</i> | 260 <sup>††</sup> | 120V~60Hz 11.3A | 18 ft. |


## 3941000 - 5 U.S. Gallons\*

4.0 Peak HP<sup>†</sup> - 3 Yr. Warranty

**Accessories** - 18' x 1½" Lock-On<sup>®</sup> Hose, (2) Extension Wands, Floor Nozzle, Gulper Nozzle, Dual Surface Nozzle, Crevice Tool, Cloth Tool Bag, Wall Bracket, Bag Hook, Foam Sleeve Cartridge Filter and Filter Bag.



| Catalog | Capacity    | Peak HP          | UPC             | Carton Dimensions  | Cube | Shipping Weight | Cubic Feet per Minute | Sealed Pressure                             | Air Watts        | Electric Rating | Cord  |
|---------|-------------|------------------|-----------------|--|------|-----------------|-----------------------|---|------------------|-----------------|-------|
| 3941000 | 5 U.S. Gal* | 4.0 <sup>†</sup> | 0 26282 39410 1 | 12 <sup>7</sup> / <sub>16</sub> " x 12 <sup>7</sup> / <sub>16</sub> " x 32 <sup>1</sup> / <sub>2</sub> " | 3.1  | 18 lbs.         | 55 <sup>†</sup>       | 54 <sup>†</sup><br><i>(inches of water)</i> | 120 <sup>†</sup> | 120V~60Hz 8.8A  | 6 ft. |



11. <sup>†</sup>ASTM Tested with an 7 ft. long x 1¼ in. diameter Shop-Vac<sup>®</sup> hose. <sup>††</sup>ASTM Tested with an 8 ft. long x 1½ in. diameter Shop-Vac<sup>®</sup> hose.

VAC N VAC & WALL MOUNT

## 1 1/4" DIAMETER ACCESSORIES



**90665 - Deluxe Floor Nozzle with Squeegee Insert and Brush Insert**  
A swivel elbow and the extra wide cleaning path makes clean up a snap.



**90616 - Crevice Tool**  
Gets hard-to-reach places. Cleans radiators, vehicle interiors, etc.



**90615 - Round Brush**  
Great for all purpose dry pick up...dirt, sawdust, furniture blinds, etc.



**90619 - Gulper Nozzle**  
Fast pick up tool. Ideal for vehicle interiors.



**90621 - 10" Wet/Dry Nozzle**  
Good for all purpose cleaning.



**90632 - Multi Purpose Floor Nozzle**  
Economical nozzle with settings for both carpet and bare floors.



**90614 - 3-Piece Extension Wands**  
Provides longer reach when cleaning.

## 1 1/2" DIAMETER ACCESSORIES



**91997 - Round Brush**  
Great for all purpose dry pick up: dirt, sawdust, furniture venetian blinds, etc.



**91966 - Crevice Tool**  
Gets hard-to-reach places. Cleans radiators, vehicle interiors, etc.



**91967 - 6" Nozzle**  
Ideal for cleaning vehicle interiors, workshop benches and more.



**91991 - 12" Floor Nozzle**  
Cleans wide areas for wet or dry pick up.



**91968 - Dual Surface Nozzle**  
For use with both carpets and floors.



**91966 - 10" Squeegee Nozzle**  
For wet pick up.



**91995 - 2 - Piece Extension Wands**  
Provides longer reach when cleaning.

## 2 1/2" DIAMETER ACCESSORIES



**90675 - 8" Utility Nozzle**  
Great for bulk dry pick up.



**90678 - Crevice Tool**  
Gets hard-to-reach places. Cleans radiators, vehicle interiors, etc.



**90677 - 14" Floor Nozzle**  
Cleans wide areas with bulk dry pick up and wet pick up power.



**90679 - Right Angle Brush**  
Use on blinds and all irregular surfaces.



**90684 - 40" Extension Wand (2 piece)**  
Provides longer reach when cleaning.

## CONVERSIONS



**90627 - 1 1/2" to 1 1/4" Adapter**  
Allows you to use 1 1/4" accessories with a 1 1/2" hose.



**90649 - 2 1/2" to 1 1/2" Converter**  
Allows you to use 2 1/2" accessories with a 1 1/2" hose.



**90685 - 2 1/2" to 1 1/4" Conversion Unit**  
Allows you to use 1 1/4" accessories with a 2 1/2" hose.



**91959 - 1 1/4" to 1 1/2" Adapter**  
Allows you to use 1 1/4" hose with a 1 1/2" accessories.

## FILTERS - DRY PICK UP



**90661 (TYPE E) Filter Bags (3 pack)**  
Fits 5-8 U.S. Gallon vacs.



**90662 (TYPE F) Filter Bags (3 pack)**  
Fits 10-14 U.S. Gallon vacs.



**90663 (TYPE G) Filter Bags (3 pack)**  
Fits 15-22 U.S. Gallon vacs.



**90671 (TYPE H) High Efficiency Filter Bags (2 pack)**  
Fits 5-8 U.S. Gallon vacs.



**90672 (TYPE I) High Efficiency Filter Bags (2 pack)**  
Fits 10-14 U.S. Gallon vacs.



**90673 (TYPE J) High Efficiency Filter Bags (2 pack)**  
Fits 15-22 U.S. Gallon vacs.

## FILTERS - DRY PICK UP




**90137/90107 (TYPE T/S) Reusable Dry Filters**  
90137 - without mounting ring  
90107 - with mounting ring



**90304 (TYPE U) Large Cartridge Filter**  
Fits Shop-Vac® brand wet/dry vacs 5 U.S. gallon and above except 5 U.S. gallon portable model H87S, 6 U.S. gallon long life model P12S and HangUp® Wall Mount vacs.



**90398 (TYPE AA) Small Cartridge Filter**  
Fits 1-4 U.S. gallon vacs, 5 U.S. gallon portable model H87S, 5 U.S. gallon HangUp®/ Wall Mount vacs and 6 U.S. gallon long life model P12S. Does not fit 1x1®, Micro®, HangOn® and HangUp® Mini.



**90340 (TYPE W) Large CleanStream® HEPA Cartridge Filter**  
99.97% efficient down to 0.3 microns. Non-stick surface makes for easy clean up and resists clogging. Fits Shop-Vac® brand wet/dry vacs 5 U.S. gallon and above, except 5 U.S. gallon portable model H87S, 6 U.S. gallon long life model P12S and HangUp®/Wall Mount vacs.



**90341 (TYPE II) Small CleanStream® HEPA Cartridge Filter**  
99.97% efficient down to 0.3 microns. Non-stick surface makes for easy clean up and resists clogging. Fits 1-4 U.S. gallon vacs 5 U.S. gallon portable model H87S, 5 U.S. gallon HangUp®/ Wall Mount vacs and 6 U.S. gallon long life model P12S. Does not fit 1x1® Micro®, HangOn® and HangUp® Mini.



**90307 (TYPE JJ) Large CleanStream® High Efficiency Cartridge Filter**  
95% efficient down to 0.3 microns. Non-stick surface makes for easy clean up and resists clogging. Fits Shop-Vac® brand wet/dry vacs 5 U.S. gallon and above, except 5 U.S. gallon portable model H87S, 6 U.S. gallon long life model P12S and HangUp®/ Wall Mount vacs.



**90350 (TYPE X) Large Ultra Web® Cartridge Filter**  
Fits Shop-Vac® brand wet/dry vacs 5 U.S. gallon and above except 5 U.S. gallon portable model H87S, 6 U.S. gallon long life model P12S and HangUp® Wall Mount vacs.



**90397 (TYPE BB) Small HangUp® Ultra Web® Cartridge Filter**  
Fits 1-4 U.S. gallon vacs, 5 U.S. gallon portable model H87S, 5 U.S. gallon HangUp®/ Wall Mount vacs and 6 U.S. gallon long life model P12S. Does not fit 1x1®, Micro®, HangOn® and HangUp® Mini.

## FILTERS - WET PICK UP



**90585 (TYPE R) Large Foam Sleeve**  
Fits Shop-Vac® brand wet/dry vacs 5 U.S. gallon and above, except 5 U.S. gallon portable model H87S, 6 U.S. gallon long life model P12S and HangUp® Wall Mount vacs.



**90526 (TYPE CC) Small Foam Sleeve**  
Fits 1-4 gallon vacs, 5 U.S. gallon portable model H87S, 5 U.S. gallon HangUp®/ Wall Mount vacs and 6 U.S. gallon long life model P12S. Does not fit 1x1®, Micro®, HangOn®, and HangUp® Mini.



**90525 (TYPE MM) Micro Foam Sleeve**  
Fits 1 U.S. gallon Micro® vac.



**Shop-Vac Corporation**

2323 Reach Road, Williamsport, PA 17701 | Phone: 570-326-3557 | Fax: 570-326-7185 | [www.shopvac.com](http://www.shopvac.com)

©2018 Shop-Vac Corporation. All rights reserved.

Shop-Vac® is a registered trademark of the Shop-Vac Corporation.

†“Peak Horsepower” (PHP) is a term used in the wet-dry vacuum industry for consumer comparison purposes. It does not denote the operational horsepower of a wet-dry vacuum but rather the horsepower output of a motor, including the motor’s inertial contribution, achieved in laboratory testing. In actual use, Shop-Vac motors do not operate at the peak horsepower shown.

\*Tank capacity refers to actual tank volume, and does not reflect capacity available during operation.

**SVA0001213**