Appliance Factory Parts Experts in BBQ, Humidifier, & Appliance Parts

FANTECH FTC463885 Owner's Manual

Shop genuine replacement parts for FANTECH FTC463885



Find Your FANTECH Fan Parts - Select From 108 Models

----- Manual continues below ------

Specification Sheet

PHS300

Portable filtration unit Product #: 463885



Fan

One (1) factory-balanced fan with backward curved blades. Motor come with permanently lubricated, sealed ball bearings to guarantee long life and maintenance-free operation.

Filter

Pre-filter with Carbon	_	Captures large particles and will provide
		a longer life for your HEPA Filter and adsorbs
		and neutralizes tobacco smoke and cooking
		odors.
HEPA Filter	_	99.97% effective down to 0.3 microns.
		Specially designed to be the least expensive
		HEPA filter to replace.

Serviceability

Maintenance latch gives access to the 2 filters when needed to be replaced. Pre-filter/Carbon filter – Replace every three months HEPA Filter – Can last 2 to 5 years depending on proper maintenance of pre-filter* *Homes with a high level of pollutants (such as a heavy smoker) will need to change the filter more often.

Duct Connections

6" (152 mm) round collar

Case

22 gauge galvanized pre-painted steel corrosion resistant

Insulation

Cabinet is fully insulated with 1/2" (12.5 mm) high density expanded polystyrene.

Warranty

7 year limited warranty on the motor, 5 year limited warranty on other components. Warranty does not cover filters.



The Portable HEPA Filtration system comes with two different operating speeds, depending on your need of filtration. The PHS300 can be installed in any conditioned space needing air filtration. Designed with a 6" collar, that can be left open or can accommodate a semi-flexible duct to draw direct from potential contaminated area and exhausted through the bottom grills.

🏽 fantech


Features

- Built in motor
- 3 step filters
- Removable 5' cord and 3-prong plug

Specifications

- Duct Size 6" (152 mm) round collar
- Weight 28 lbs (12.7 Kg)
- Voltage/ Phase 120V / 1~
- Power rated 180 W
- Amp 1.5 amps
- Average Airflow 170/240 cfm (132 L/s, 170 M/s, 240 H/s) @ 0" Ps

Dimensions



Model	A			В		C		D		E		F	
	in	mm											
PHS300 (6" Duct)	13	328	24	608	17	431	12	307	22	557	6	149	

Contacts

Submitted by:		Date:	
Quantity:	Model:	Project #:	
Comments:			
Location:			
Architect:			
Engineer:		Contractor:	

Distributed by:



United States 10048 Industrial Blvd. • Lenexa, KS 66215 • 1.800.747.1762 • www.fantech.net Canada 50 Kanalflakt Way • Bouctouche, NB E4S 3M5 • 1.800.565.3548 • www.fantech.net

Fantech, reserves the right to modify, at any time and without notice, any or all of its products' features, designs, components and specifications to maintain their technological leadership position.